
2014

California Forest Pest Conditions



California
Forest Pest
Conditions
Report 2014

Tom Smith
Cal Fire Forest Pest
Management



Drought


3.00 2.00 1.00 0.00

-2.00


-3.00


-4.00 -5.00 -6.00 -7.00 North Coast Sierra Cascade Great Basin

Central Coast



Aerial Survey and Detection Mapping





Invasive Insects

- Increases in goldspotted oak borer (GSOB) mortality
- New GSOB infestation in Orange County
- Spread of the polyphagous shot hole borer/Fusarium complex in five southern counties with growing mortality



Disease Conditions




Increases
in root
disease,
hail
damage
and Bishop
pine
decline





Exotic Diseases



Sudden oak death remains a serious problem on the north coast with new infestation found in Humboldt County and the disease moving into Trinity County for the first time

Exotic Diseases

Phytophthora
tentaculata is the
newest exotic
disease in California
affecting toyon and
several understory
shrubs and plants

Infested sticky monkey flower



Invasive Plants



Old Man's Beard

Newest invasive weeds include false yellowhead, old man's beard and yellow archangel. **Funding for** invasive weed control remains low.

Forest Pest Observational

Database

Database of pest observations of all types. This database is national in scope and will be searchable for both pest detection and occurrence data and research.

There were 100 entries into the Fir engraver beetle killed ~ 50% of white fir database on 200 acres near Franklin Creek in Warner 2014 (dots on Port-Orford-cedar roof map correspond disease found in Fish locations database entries). Severe maple leaf scorch symptoms FPODA is a collaborative project observed along California Highway 32 by the USFS R5 SPF Forest Health Protection. USFS Forest Health 20.000 acres of Douglas-fir tussock Technology Enterprise Team, the moth-caused defoliation of white fir on California Department of Forestry and Fire Protection, and the California Forest Pest Council. western pine beetle in oper River Camporoun yon lps killed ~20% of pine in the vicinity of er Pass Camporound California fivespined Ips-caused ishop pine mortality on 200 cres in Santa Barbara Co. Goldspotted oak borer found increasing in live oak on the Vieias Reservation and Cleveland Ni

Data entry will initially be restricted to forest health professionals from state and federal agencies. Public and private land managers

will be able to submit reports to forest health contacts for database entry. A new PDR form (electronic and hard copy) is currently

Questions?

